

**VERSION 12/03/09** 

according to Regulation (EG) No. 1907/2006

## 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade Name:

# **VAICO Genuine Grease for Constant Velocity Joints**

# 1.2. Informing department

VIEROL AG | Karlstraße 19 | 26123 Oldenburg | Germany Telefon +49 441 - 210 20-0 | Telefax +49 441 - 210 20-111

### Emergency telephone number

1.3. Emergency tel: +44 (0)7806092332

## 2. HAZARDS IDENTIFICATION

#### 2.1. Main hazards:

Not classified as hazardous

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

## 3.1. Hazardous ingredients:

Zinc Dialkyldithiophosphate 1,5 % CAS No 68649-42-3



# 4. FIRST AID MEASURES

#### 4.1. Eye contact:

Wash out eye with plenty of water. Obtain medical attention if soreness or redness persist.

#### 4.2. Skin contact:

Wash skin with soap and water. If grease has been injected under the skin, seek Medical advice immediately.

#### 4.3. Ingestion:

Do not induce vomiting. Obtain medical attention.



**VERSION 12/03/09** 

## 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media:

Use water Spray to to cool containers. Use foam, dry chemical, carbon dioxide or suitable extinguishing media.

#### 5.2. Exposure hazards:

This product may give rise to hazardous Fumes in a fire.

## 5.3. Protection for fire-fighters:

Wear self-contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions:

Refer to section 8 for personal protection details.

## 6.2. Spillages

Transfer into suitable containers for recovery or disposal.

## 7. HANDLING AND STORAGE

#### 7.1. Handling

Avoid direct contact with the substance.

#### 7.2. Storage:

Store in cool well ventilated area.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1. Protective equipment:





## 8.2. Hand protection:

PVC gloves

#### 8.3. Eye protection:

Wear approved safety goggles

## 8.4. Body protection:

Normal work wear

### 8.5. Respiratory protection:

Not normally required



**VERSION 12/03/09** 

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Smooth Grease
Colour:	Gray / Black
Odour:	Odourless
Melting point (°C):	Melts above 200
Flash point (PMCC) (°C):	Exceed 200.
Solubility in water (KG/M3):	Insoluble.
Density (KG/M3):	0.92 (Measured as kg / litre)
Auto-Flammanility (°C):	Above 200

# 10. STABILITY AND REACTIVITY

#### 10.1. Stability:

Stable under normal conditions.

#### 10.2. Conditions to avoid:

HEAT.

#### 10.3. Materials to avoid:

Strong oxidizing agents.

#### 10.4. Hazardous decomposition products:

Combustion will generate: smoke, carbon dioxide and carbon monoxide

## 11. TOXICOLOGICAL INFORMATION

## 11.1. Acute toxicity:

Low order of acute toxicity

# 12. ECOLOGICAL INFORMATION

#### 12.1. Mobility:

Non volatile. The product is poorly absorbed onto soils or sediments.

## 12.2. Persistence & degradability:

Only slightly biodegradable.

#### 12.3. Bio-accumulation:

Product is not expected to bio-accumulate.

## 13. DISPOSAL CONSIDERATIONS

#### 13.1. Product disposal:

Dispose in a regulated site or other method for hazardous or toxic waste. Dispose of in accordance with local and national regulations.

## 14. TRANSPORT INFORMATION

UN CLASS:	Not classified.	
ADR / RID — CLASS:	Not classified.	
IMDG – CLASS:	Not classified.	
IATA – CLASS:	Not classified.	

EN VAICO\_GenuineGreaseforConstantVelocityJoints\_Sicherheitsdatenblatt\_20150423



**VERSION 12/03/09** 

# 15. REGULATORY INFORMATION

HAZARD SYMBOLS:	No significant hazard.
R PHRASES:	NONE.
S PHRASES:	NONE.

# 16. OTHER INFORMATION

PRODUCT USE: For industrial use only. Lubricant.

EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system of specific information relating to Dangerous Preparations Directive – 2001/58/EC. EC Directive 88/379/EEC relating to the classification, packing and labeling of dangerous preparations.

To the best of our knowledge, the information contained herein is accurate. Allthough certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or behalf of, the user.